
<u>Scenario # 308</u>: A CLEC orders 26 SL2 unbundled analog loops in support of a full migration service request from an existing BST customer.

Scenario Description:

A CLEC orders 26 SL2 unbundled analog loops in support of a full migration service request from an existing BST customer. The customer lines are migrated "as-specified" to the CLEC.

Network Configuration:



REQTYPE	Α
ACT TYPE	٧
Partial Migration	
Flow-Through	

Scenario Characteristics:

Provisioning	
Normal Volume	Х
Peak Volume	Х
EDI	Х
TAG	X

Test Case Requirements:


Supplement	Х
Errors	Х
Cancel	
Directory Listing	Х

Scenario # 309: A CLEC orders 2 SL1 unbundled analog loops from BST for one of its resale customers.

Scenario Description:

A CLEC orders 2 SL1 unbundled analog loops from BST for one of its resale customers.

Network Configuration:



REQTYPE	Α
ACT TYPE	٧
Partial Migration	
Flow-Through	X

Scenario Characteristics:

Provisioning	Х
Normal Volume	Х
Peak Volume	X
EDI	Х
TAG	Х

Test Case Requirements:

Supplement	Х
Errors	X
Cancel	
Directory Listing	Х


Scenario # 310: A CLEC orders 26 SL1 unbundled analog loops from BST for one of its resale customers.

Scenario Description:

A CLEC orders 26 SL1 unbundled analog loops from BST for one of its resale customers.

DFII

Network Configuration:



REQTYPE	Α
ACT TYPE	٧
Partial Migration	
Flow-Through	

Scenario Characteristics:

Provisioning	
Normal Volume	Х
Peak Volume	Х
EDI	Х
TAG	Х

Test Case Requirements:


Supplement	Х
Errors	X
Cancel	Х
Directory Listing	Х

Scenario # 311: A CLEC orders 2 SL2 unbundled analog loops from BST for one of its resale customers.

Scenario Description:

A CLEC orders 2 SL2 unbundled analog loops from BST for one of its resale customers.

Network Configuration:



REQTYPE	Α
ACT TYPE	٧
Partial Migration	
Flow-Through	X

Scenario Characteristics:

Provisioning	Х
Normal Volume	Х
Peak Volume	Х
EDI	Х
TAG	Х

Test Case Requirements:


Supplement	X
Errors	Х
Cancel	
Directory Listing	Х

Scenario # 312: A CLEC orders 26 SL2 unbundled analog loops from BST for one of its resale customers.

Scenario Description:

A CLEC orders 26 SL2 unbundled analog loops from BST for one of its resale customers.

Network Configuration:



Scenario Summary:

REQTYPE	Α
ACT TYPE	٧
Partial Migration	
Flow-Through	

Scenario Characteristics:

Provisioning	
Normal Volume	Х
Peak Volume	Х
EDI	Х
TAG	Х

Test Case Requirements:


Supplement	Х
Errors	Х
Cancel	Х
Directory Listing	Х

<u>Scenario # 315</u>: A CLEC orders a change - add a loop to an existing account - on 2 SL2 unbundled analog loops in response to a CLEC customer complaint.

Scenario Description:

A CLEC orders a change - (e.g.,add a loop to an existing account) on 2 SL2 unbundled analog loops in response to a CLEC customer complaint.

Network Configuration:



REQTYPE	Α
ACT TYPE	С
Partial Migration	
Flow-Through	Χ

Scenario Characteristics:

Provisioning	X
Normal Volume	Х
Peak Volume	Х
EDI	Х
TAG	Х

Test Case Requirements:


Supplement	Х
Errors	Х
Cancel	
Directory Listing	

<u>Scenario # 316</u>: A CLEC orders a change - add a loop to an existing account - on 26 SL2 unbundled analog loops in response to a CLEC customer complaint.

Scenario Description:

A CLEC orders a change - add a loop to an existing account - on 26 SL2 unbundled analog loops in response to a CLEC customer complaint.

Network Configuration:



Scenario Summary:

REQTYPE	Α
ACT TYPE	С
Partial Migration	
Flow-Through	

Scenario Characteristics:

Provisioning	
Normal Volume	
Peak Volume	
EDI	Х
TAG	Χ


Supplement	Х
Errors	Х
Cancel	
Directory Listing	

<u>Scenario # 317</u>: An existing CLEC customer moves from the 3rd to the 5th floor. The CLEC orders an inside move on both of its customer's SL1 unbundled analog loops from BST.

Scenario Description:

An existing CLEC customer moves from the 3rd to the 5th floor. The CLEC orders an inside move on both of its customer's SL1 unbundled analog loops from BST.

Network Configuration:



REQTYPE	Α
ACT TYPE	М
Partial Migration	
Flow-Through	

Scenario Characteristics:

Provisioning	Х
Normal Volume	Х
Peak Volume	Х
EDI	Х
TAG	Х

Test Case Requirements:


Supplement	Х
Errors	Х
Cancel	Х
Directory Listing	Х

<u>Scenario # 318</u>: An existing CLEC customer moves from the 3rd to the 5th floor. The CLEC orders an inside move on both of its customer's SL2 unbundled analog loops from BST.

Scenario Description:

An existing CLEC customer moves from the 3rd to the 5th floor. The CLEC orders an inside move on both of its customer's SL2 unbundled analog loops from BST.

Network Configuration:



REQTYPE	Α
ACT TYPE	М
Partial Migration	
Flow-Through	

Scenario Characteristics:

•	ocharo onaracteristic.		
	Provisioning	Х	
	Normal Volume	Х	
1	Peak Volume	Х	
i	EDI	Х	
	TAG	Х	

Test Case Requirements:


Supplement	Х
Errors	Х
Cancel	Х
Directory Listing	Х

<u>Scenario # 319</u>: An existing CLEC customer moves across town. The CLEC orders an outside move on both of its customer's SL1 unbundled analog loops from BST.

Scenario Description:

An existing CLEC customer moves across town. The CLEC orders an outside move on both of its customer's SL1 unbundled analog loops from BST.

Network Configuration:



REQTYPE	Α
ACT TYPE	T
Partial Migration	
Flow-Through	

Scenario Characteristics:

Provisioning	Х
Normal Volume	Х
Peak Volume	Х
EDI	Х
TAG	Х

Test Case Requirements:


Supplement	Х
Errors	Х
Cancel	
Directory Listing	Х

<u>Scenario # 320:</u> An existing CLEC customer moves across town. The CLEC orders an outside move on both of its customer's SL2 unbundled analog loops from BST.

Scenario Description:

An existing CLEC customer moves across town. The CLEC orders an outside move on both of its customer's SL2 unbundled analog loops from BST.

Network Configuration:



REQTYPE	Α
ACT TYPE	T
Partial Migration	
Flow-Through	

Scenario Characteristics:

Provisioning	Х
Normal Volume	Х
Peak Volume	Х
EDI	Х
TAG	Х

Test Case Requirements:


Supplement	Х
Errors	Х
Cancel	
Directory Listing	Х

<u>Scenario # 323</u>: An existing CLEC customer is moving to another state. The CLEC orders BST to disconnect both of its customer's SL1 unbundled analog loops.

Scenario Description:

An existing CLEC customer is moving to another state. The CLEC orders BST to disconnect both of its customer's SL1 unbundled analog loops.

Network Configuration:



Scenario Summary:

REQTYPE	Α
ACT TYPE	D
Partial Migration	
Flow-Through	Х

Scenario Characteristics:

	Provisioning	X
	Normal Volume	Х
	Peak Volume	Х
	EDI	Х
ı	TAG	Х


Supplement	Х
Errors	Х
Cancel	
Directory Listing	

<u>Scenario # 324</u>: An existing CLEC customer is moving to another state. The CLEC orders BST to disconnect both of its customer's SL2 unbundled analog loops.

Scenario Description:

An existing CLEC customer is moving to another state. The CLEC orders BST to disconnect both of its customer's SL2 unbundled analog loops.

Network Configuration:



REQTYPE	Α
ACT TYPE	D
Partial Migration	
Flow-Through	Х

Scenario Characteristics:

Provisioning	Х
Normal Volume	Х
Peak Volume	Х
EDI	Х
TAG	Χ

Test Case Requirements:


Supplement	Х
Errors	Х
Cancel	
Directory Listing	

<u>Scenario # 620</u>: An existing CLEC customer disconnects one of their existing 3 SL1 unbundled analog loops.

Scenario Description:

An existing CLEC customer disconnects one of their existing 3 SL1 unbundled analog loops.

Network Configuration:



REQTYPE	Α
ACT TYPE	D
Partial Migration	
Flow-Through	Х

Scenario Characteristics:

Provisioning	Х
Normal Volume	Х
Peak Volume	X
EDI	Х
TAG	Х

Test Case Requirements:


Supplement	Х
Errors	Х
Cancel	
Directory Listing	

<u>Scenario # 630</u>: A CLEC migrates an existing UNE loop port combination 2-line customer to UNE analog SL2 Loops.

Scenario Description:

A CLEC migrates an existing UNE loop port combination 2-line customer to UNE analog SL2 loops.

Network Configuration:



Scenario Summary:

REQTYPE	Α
ACT TYPE	٧
Partial Migration	
Flow-Through	

Scenario Characteristics:

Provisioning	Х
Normal Volume	Х
Peak Volume	Х
EDI	Х
TAG	Х

Test Case Requirements:

Supplement	Х
Errors	Х
Cancel	
Directory Listing	Х

<u>Scenario # 700</u>: Migrate an existing CLEC single line Resale customer to another CLEC UNE SL1 analog loop.

Scenario Description:

Migrate an existing CLEC single line Resale customer to another CLEC UNE SL1 analog loop.

Network Configuration:



REQTYPE	Α
ACT TYPE	٧
Partial Migration	
Flow-Through	Х

Scenario Characteristics:

Provisioning	Х
Normal Volume	Х
Peak Volume	Х
EDI	Х
TAG	Х

Test Case Requirements:


Supplement	Х
Errors	Χ
Cancel	
Directory Listing	

<u>Scenario # 701</u>: Migrate an existing CLEC single line SL1 loop customer to another CLEC UNE SL1 analog loop.

Scenario Description:

Migrate an existing CLEC single line SL1 loop customer to another CLEC UNE SL1 analog loop.

Network Configuration:



REQTYPE	Α
ACT TYPE	٧
Partial Migration	
Flow-Through	Х

Scenario Characteristics:

Provisioning	Х
Normal Volume	·X
Peak Volume	Х
EDI	Х
TAG	Х

Test Case Requirements:

Supplement	Х
Errors	Х
Cancel	
Directory Listing	


Modified

<u>Scenario # 325</u>: A CLEC orders 2 SL1 unbundled analog loops with INP in support of a partial migration service request from an existing BST customer.

Scenario Description:

A CLEC orders 2 SL1 unbundled analog loops with INP in support of a partial migration service request from an existing BST customer. The customer currently has 6 lines, 4 of which stay with BST and 2 are migrated "as-specified" to the CLEC.

Network Configuration:



REQTYPE	В
ACT TYPE	V
Partial Migration	Х
Flow-Through	

Scenario Characteristics:

Provisioning	Х
Normal Volume	Х
Peak Volume	X
EDI	Х
TAG	Х

Test Case Requirements:


Supplement	Х
Errors	Х
Cancel	
Directory Listing	Х

<u>Scenario # 326</u>: A CLEC orders 2 SL1 unbundled analog loops with INP in support of a full migration service request from an existing BST customer.

Scenario Description:

A CLEC orders 2 SL1 unbundled analog loops with INP in support of a full migration service request from an existing BST customer. The customer lines are migrated "as-specified" to the CLEC.

Network Configuration:



REQTYPE	В
ACT TYPE	V
Partial Migration	
Flow-Through	Х

Scenario Characteristics:

Provisioning	Х
Normal Volume	X
Peak Volume	Х
EDI	X
TAG	Х

Test Case Requirements:

Supplement	Х
Errors	Х
Cancel	Х
Directory Listing	Х


<u>Scenario # 327</u>: A CLEC orders 26 SL1 unbundled analog loops with INP in support of a partial migration service request from an existing BST customer.

Scenario Description:

A CLEC orders 26 SL1 unbundled analog loops with INP in support of a partial migration service request from an existing BST customer. The customer currently has 31 lines, 5 of which stay with BST and 26 are migrated "asspecified" to the CLEC.

DEL

Network Configuration:



Scenario Summary:

REQTYPE	В
ACT TYPE	٧
Partial Migration	Х
Flow-Through	

Scenario Characteristics:

Provisioning	
Normal Volume	Х
Peak Volume	Х
EDI	Х
TAG	Х


Supplement	Х
Errors	X
Cancel	
Directory Listing	Х

<u>Scenario # 328</u>: A CLEC orders 26 SL1 unbundled analog loops with INP in support of a full migration service request from an existing BST customer.

Scenario Description:

A CLEC orders 26 SL1 unbundled analog loops with INP in support of a full migration service request from an existing BST customer. The customer lines are migrated "as-specified" to the CLEC.

Network Configuration:



Scenario Summary:

REQTYPE	В
ACT TYPE	>
Partial Migration	
Flow-Through	

Scenario Characteristics:

Provisioning	
Normal Volume	Х
Peak Volume	Х
EDI	Х
TAG	Х


Supplement	Х
Errors	Х
Cancel	
Directory Listing	Χ

<u>Scenario # 329</u>: A CLEC orders 2 SL2 unbundled analog loops with INP in support of a partial migration service request from an existing BST customer.

Scenario Description:

A CLEC orders 2 SL2 unbundled analog loops with INP in support of a partial migration service request from an existing BST customer. The customer currently has 6 lines, 4 of which stay with BST and 2 are migrated "as-specified" to the CLEC.

Network Configuration:



Scenario Summary:

REQTYPE	В
ACT TYPE	V
Partial Migration	Х
Flow-Through	

Scenario Characteristics:

Provisioning	Х
Normal Volume	Х
Peak Volume	Х
EDI	Х
TAG	Х


Supplement	Х
Errors	Х
Cancel	
Directory Listing	Х

<u>Scenario # 330</u>: A CLEC orders 2 SL2 unbundled analog loops with INP in support of a full migration service request from an existing BST customer.

Scenario Description:

A CLEC orders 2 SL2 unbundled analog loops with INP in support of a full migration service request from an existing BST customer. The customer lines are migrated "as-specified" to the CLEC.

Network Configuration:



REQTYPE	В
ACT TYPE	٧
Partial Migration	
Flow-Through	Х

Scenario Characteristics:

Provisioning	Х
Normal Volume	Х
Peak Volume	Х
EDI	Х
TAG	Х

Test Case Requirements:

Supplement	Х
Errors	Х
Cancel	Х
Directory Listing	X


<u>Scenario # 331</u>: A CLEC orders 26 SL2 unbundled analog loops with INP in support of a partial migration service request from an existing BST customer.

Scenario Description:

A CLEC orders 26 SL2 unbundled analog loops with INP in support of a partial migration service request from an existing BST customer. The customer currently has 31 lines, 5 of which stay with BST and 26 are migrated "asspecified" to the CLEC.

DEL

Network Configuration:



Scenario Summary:

REQTYPE	В
ACT TYPE	٧
Partial Migration	х
Flow-Through	

Scenario Characteristics:

Provisioning	
Normal Volume	Х
Peak Volume	Х
EDI	Х
TAG	Х

Supplement	Х
Errors	Х
Cancel	Х
Directory Listing	Х


<u>Scenario # 332</u>: A CLEC orders 26 SL2 unbundled analog loops with INP in support of a full migration service request from an existing BST customer.

Scenario Description:

A CLEC orders 26 SL2 unbundled analog loops with INP in support of a full migration service request from an existing BST customer. The customer lines are migrated "as-specified" to the CLEC.

DFII

Network Configuration:



REQTYPE	В
ACT TYPE	٧
Partial Migration	
Flow-Through	

Scenario Characteristics:

Provisioning	
Normal Volume	Х
Peak Volume	Х
EDI	X
TAG	Х

Test Case Requirements:


Supplement	Х
Errors	Х
Cancel	
Directory Listing	X

<u>Scenario # 333</u>: A CLEC orders 2 SL1 unbundled analog loops with INP from BST for one of its resale customers.

Scenario Description:

A CLEC orders 2 SL1 unbundled analog loops with INP from BST for one of its resale customers.

Network Configuration:



REQTYPE	В
ACT TYPE	>
Partial Migration	
Flow-Through	Х

Scenario Characteristics:

Provisioning	X
Normal Volume	Х
Peak Volume	Х
EDI	Х
TAG	Х

Test Case Requirements:


Х
Х
Х

<u>Scenario # 334</u>: A CLEC orders 26 SL1 unbundled analog loops with INP from BST for one of its resale customers.

Scenario Description:

A CLEC orders 26 SL1 unbundled analog loops with INP from BST for one of its resale customers.

Network Configuration:



Scenario Summary:

REQTYPE	В
ACT TYPE	>
Partial Migration	
Flow-Through	

Scenario Characteristics:

Provisioning	
Normal Volume	·X
Peak Volume	Х
EDI	Х
TAG	Х


Supplement	Х
Errors	Х
Cancel	
Directory Listing	Х

<u>Scenario # 335</u>: A CLEC orders 2 SL2 unbundled analog loops with INP from BST for one of its resale customers.

Scenario Description:

A CLEC orders 2 SL2 unbundled analog loops with INP from BST for one of its resale customers.

Network Configuration:



REQTYPE	В
ACT TYPE	>
Partial Migration	
Flow-Through	Χ

Scenario Characteristics:

Provisioning	Х
Normal Volume	Х
Peak Volume	Х
EDI	Х
TAG	Х

Test Case Requirements:


Supplement	Х
Errors	Х
Cancel	
Directory Listing	Χ

<u>Scenario # 336</u>: A CLEC orders 26 SL2 unbundled analog loops with INP from BST for one of its resale customers.

Scenario Description:

A CLEC orders 26 SL2 unbundled analog loops with INP from BST for one of its resale customers.

Network Configuration:



Scenario Summary:

REQTYPE	В
ACT TYPE	V
Partial Migration	T
Flow-Through	

Scenario Characteristics:

Provisioning	
Normal Volume	Х
Peak Volume	Х
EDI	Х
TAG	Х


Supplement	Х
Errors	Х
Cancel	Х
Directory Listing	Х

<u>Scenario # 349</u>: A CLEC orders 2 SL1 unbundled analog loops with LNP in support of a partial migration service request from an existing BST customer.

Scenario Description:

A CLEC orders 2 SL1 unbundled analog loops with LNP in support of a partial migration service request from an existing BST customer. The customer currently has 6 lines, 4 of which stay with BST and 2 are migrated "as-specified" to the CLEC.

Network Configuration:



Scenario Summary:

REQTYPE	В
ACT TYPE	V
Partial Migration	Х
Flow-Through	

Scenario Characteristics:

Provisioning	Х
Normal Volume	Х
Peak Volume	Х
EDI	Х
TAG	Х

Test Case Requirements:


Supplement	Х
Errors	Х
Cancel	
Directory Listing	Х

<u>Scenario # 350</u>: A CLEC orders 2 SL1 unbundled analog loops with LNP in support of a full migration service request from an existing BST customer.

Scenario Description:

A CLEC orders 2 SL1 unbundled analog loops with LNP in support of a full migration service request from an existing BST customer. The customer lines are migrated "as-specified" to the CLEC.

Network Configuration:



Scenario Summary:

REQTYPE	В
ACT TYPE	٧
Partial Migration	
Flow-Through	Х

Scenario Characteristics:

Provisioning	Х
Normal Volume	Х
Peak Volume	Х
EDI	Х
TAG	Х


Supplement	Х
Errors	Х
Cancel	
Directory Listing	Х

<u>Scenario # 351</u>: A CLEC orders 26 SL1 unbundled analog loops with LNP in support of a partial migration service request from an existing BST customer.

Scenario Description:

A CLEC orders 26 SL1 unbundled analog loops with LNP in support of a partial migration service request from an existing BST customer. The customer currently has 31 lines, 5 of which stay with BST and 26 are migrated "asspecified" to the CLEC.

Network Configuration:



REQTYPE	В
ACT TYPE	٧
Partial Migration	Х
Flow-Through	

Scenario Characteristics:

Provisioning	
Normal Volume	Х
Peak Volume	Х
EDI	Х
TAG	Х

Test Case Requirements:

X
X
Х


<u>Scenario # 352</u>: A CLEC orders 26 SL1 unbundled analog loops with LNP in support of a full migration service request from an existing BST customer.

Scenario Description:

A CLEC orders 26 SL1 unbundled analog loops with LNP in support of a full migration service request from an existing BST customer. The customer lines are migrated "as-specified" to the CLEC.

DEL

Network Configuration:



Scenario Summary:

REQTYPE	В
ACT TYPE	٧
Partial Migration	
Flow-Through	

Scenario Characteristics:

Provisioning	
Normal Volume	Х
Peak Volume	X
EDI	Х
TAG	Х


Supplement	X
Errors	Х
Cancel	Х
Directory Listing	Х

<u>Scenario # 353</u>: A CLEC orders 2 SL2 unbundled analog loops with LNP in support of a partial migration service request from an existing BST customer.

Scenario Description:

A CLEC orders 2 SL2 unbundled analog loops with LNP in support of a partial migration service request from an existing BST customer. The customer currently has 6 lines, 4 of which stay with BST and 2 are migrated "as-specified" to the CLEC.

Network Configuration:



REQTYPE	В
ACT TYPE	>
Partial Migration	Х
Flow-Through	

Scenario Characteristics:

Provisioning	Х
Normal Volume	Х
Peak Volume	Х
EDI	Х
TAG	Х

Test Case Requirements:


X
Х
X
Х

<u>Scenario # 354</u>: A CLEC orders 2 SL2 unbundled analog loops with LNP in support of a full migration service request from an existing BST customer.

Scenario Description:

A CLEC orders 2 SL2 unbundled analog loops with LNP in support of a full migration service request from an existing BST customer. The customer lines are migrated "as-specified" to the CLEC.

Network Configuration:



Scenario Summary:

REQTYPE	В
ACT TYPE	٧
Partial Migration	
Flow-Through	Χ

Scenario Characteristics:

Provisioning	Х
Normal Volume	Х
Peak Volume	Х
EDI	Х
TAG	Х

Test Case Requirements:

Supplement	Х
Errors	Х
Cancel	
Directory Listing	Х